

Sockets




STANDARD SOCKETS

Standard socket
1/4" drive 6 point

Chrome-vanadium steel

02-0614

Yokito art. no.	Size	D1	D2	L	I
02-0614-2504	4 mm	6,8	11,8	25,0	7,0
02-0614-2545	4,5 mm	7,4	11,8	25,0	8,4
02-0614-2505	5 mm	8	11,8	25,0	8,4
02-0614-2555	5,5 mm	8,7	11,8	25,0	8,5
02-0614-2506	6 mm	9,2	11,8	25,0	8,5
02-0614-2507	7 mm	10,3	11,8	25,0	10,4
02-0614-2508	8 mm	11,4	11,1	25,0	11,5
02-0614-2509	9 mm	12,8	11,6	25,0	11,5
02-0614-2510	10 mm	14,3	12,0	25,0	11,5
02-0614-2511	11 mm	15,8	14,0	25,0	12,2
02-0614-2512	12 mm	16,8	15,0	25,0	12,2
02-0614-2513	13 mm	17,8	16,0	25,0	13
02-0614-2514	14 mm	19,6	18,0	25,0	13





Standard socket
3/8" drive 6 point

Chrome-vanadium steel

02-0638

Yokito art. no.	Size	D1	D2	L	I
02-0638-2806	6 mm	9,7	16,7	28,0	8,8
02-0638-2807	7 mm	10,7	16,7	28,0	8,8
02-0638-2808	8 mm	12,0	16,7	28,0	9,0
02-0638-2809	9 mm	13,1	16,7	28,0	9,0
02-0638-2810	10 mm	14,5	16,7	28,0	11,1
02-0638-2811	11 mm	15,7	16,7	28,0	10,6
02-0638-2812	12 mm	16,8	16,0	28,0	10,2
02-0638-2813	13 mm	17,8	16,4	28,0	9,4
02-0638-2814	14 mm	20,8	17,0	28,0	15,0
02-0638-2815	15 mm	21,8	19,9	28,0	14,6
02-0638-2816	16 mm	21,8	20,0	28,0	15,1
02-0638-2817	17 mm	23,8	20,0	30,0	17,0
02-0638-2818	18 mm	24,6	21,0	30,0	16,6
02-0638-2819	19 mm	25,7	23,0	30,0	16,6
02-0638-2820	20 mm	27,7	24,0	30,0	16,0
02-0638-2821	21 mm	27,8	24,9	30,0	16,0
02-0638-2822	22 mm	29,7	25,8	30,0	15,3
02-0638-2823	23 mm	29,7	25,8	30,0	15,3
02-0638-2824	24 mm	31,7	26,0	30,0	17,0





Standard socket

1/2" drive 6 point

Chrome-vanadium steel

02-0612

Yokito art. no.	Size	D1	D2	L	I
02-0612-3708	8 mm	13,0	21,6	37,0	12,0
02-0612-3709	9 mm	13,5	21,6	37,0	12,0
02-0612-3710	10 mm	14,5	21,6	37,0	13,9
02-0612-3711	11 mm	16,6	21,6	37,0	13,3
02-0612-3712	12 mm	17,7	21,6	37,0	12,8
02-0612-3713	13 mm	19,9	21,7	37,0	13,6
02-0612-3714	14 mm	20,0	21,7	37,0	14,6
02-0612-3715	15 mm	21,7	20,9	37,0	14,8
02-0612-3716	16 mm	21,8	20,9	37,0	13,7
02-0612-3717	17 mm	23,8	22,0	37,0	15,0
02-0612-3718	18 mm	25,7	24,8	37,0	13,2
02-0612-3719	19 mm	25,8	24,9	37,0	14,7
02-0612-3720	20 mm	27,7	26,0	37,0	14,9
02-0612-3721	21 mm	27,7	26,0	37,0	16,0
02-0612-3722	22 mm	29,7	26,0	37,0	15,0
02-0612-3723	23 mm	31,7	27,8	37,0	14,7
02-0612-3724	24 mm	31,7	27,8	37,0	15,3
02-0612-3725	25 mm	35,1	28,0	42,0	19,0
02-0612-3726	26 mm	35,8	30,8	42,0	19,0
02-0612-3727	27 mm	35,8	30,8	42,0	20,3
02-0612-3728	28 mm	37,0	32,0	42,0	20,3
02-0612-3729	29 mm	37,3	32,0	42,0	20,3
02-0612-3730	30 mm	39,7	34,0	42,0	20,7
02-0612-3732	32 mm	41,7	30,7	42,0	20,4

Standard socket
3/4" drive 6 point

02-0634

Chrome-vanadium steel

Yokito art. no.	Size	D1	D2	L	I
02-0634-5017	17 mm	26,0	33,0	50,0	15,0
02-0634-5019	19 mm	29,0	33,0	50,0	15,0
02-0634-5020	20 mm	30,0	33,0	50,0	16,0
02-0634-5021	21 mm	31,0	33,0	50,0	17,0
02-0634-5022	22 mm	32,0	36,0	50,0	16,0
02-0634-5023	23 mm	32,0	36,0	50,0	15,0
02-0634-5124	24 mm	34,0	36,0	51,0	16,0
02-0634-5125	25 mm	35,0	36,0	51,0	17,0
02-0634-5126	26 mm	36,0	36,0	51,0	19,0
02-0634-5227	27 mm	37,0	36,0	52,0	23,0
02-0634-5228	28 mm	38,0	36,0	52,0	24,0
02-0634-5229	29 mm	40,0	38,0	52,0	25,0
02-0634-5430	30 mm	42,0	38,0	54,0	26,0
02-0634-5531	31 mm	43,0	38,0	55,0	26,0
02-0634-5532	32 mm	44,0	38,0	55,0	26,0
02-0634-5633	33 mm	46,0	40,0	56,0	26,0
02-0634-5734	34 mm	47,0	42,0	57,0	26,0
02-0634-5735	35 mm	48,0	42,0	57,0	27,0
02-0634-5836	36 mm	50,0	42,0	58,0	27,0
02-0634-6037	37 mm	51,0	45,0	60,0	27,0
02-0634-6038	38 mm	52,0	45,0	60,0	27,0
02-0634-6139	39 mm	53,0	45,0	61,0	27,0
02-0634-6240	40 mm	54,0	45,0	62,0	28,0




Yokito art. no.	Size	D1	D2	L	I
02-0634-6441	41 mm	56,0	45,0	64,0	30,0
02-0634-6442	42 mm	57,0	45,0	64,0	30,0
02-0634-6543	43 mm	58,0	45,0	65,0	30,0
02-0634-6644	44 mm	60,0	46,0	66,0	31,0
02-0634-6645	45 mm	61,0	46,0	66,0	31,0
02-0634-6746	46 mm	62,0	47,0	67,0	31,0
02-0634-6847	47 mm	63,0	47,0	68,0	33,0
02-0634-6948	48 mm	64,0	47,0	69,0	34,0
02-0634-7049	49 mm	66,0	48,0	70,0	34,0
02-0634-7250	50 mm	68,0	48,0	72,0	35,0


Standard socket
1/4" drive 12 point

02-1214

Chrome-vanadium steel

Yokito art. no.	Size	D1	D2	L	I
02-1214-2504	4 mm	6,8	11,8	25,0	7,0
02-1214-2545	4,5 mm	7,4	11,8	25,0	8,4
02-1214-2505	5 mm	8,0	11,8	25,0	8,4
02-1214-2555	5,5 mm	8,7	11,8	25,0	8,5
02-1214-2506	6 mm	9,2	11,8	25,0	8,5
02-1214-2507	7 mm	10,3	11,8	25,0	10,4
02-1214-2508	8 mm	11,4	11,1	25,0	11,5
02-1214-2509	9 mm	12,8	11,6	25,0	11,5
02-1214-2510	10 mm	14,3	12,0	25,0	11,5
02-1214-2511	11 mm	15,8	14,0	25,0	12,2
02-1214-2512	12 mm	16,8	15,0	25,0	12,2
02-1214-2513	13 mm	17,8	16,0	25,0	13,0
02-1214-2514	14 mm	19,6	18,0	25,0	13,0





Standard socket

3/8" drive 12 point

Chrome-vanadium steel

02-1238

Yokito art. no.	Size	D1	D2	L	I
02-1238-2822	22 mm	29,7	25,8	30,0	15,3
02-1238-2823	23 mm	29,7	25,8	30,0	15,3
02-1238-2824	24 mm	31,7	26,0	30,0	17,0

Yokito art. no.	Size	D1	D2	L	I
02-1238-2806	6 mm	9,7	16,7	28,0	8,8
02-1238-2807	7 mm	10,7	16,7	28,0	8,8
02-1238-2808	8 mm	12,0	16,7	28,0	9,0
02-1238-2809	9 mm	13,1	16,7	28,0	9,0
02-1238-2810	10 mm	14,5	16,7	28,0	11,1
02-1238-2811	11 mm	15,7	16,7	28,0	10,6
02-1238-2812	12 mm	16,8	16,0	28,0	10,2
02-1238-2813	13 mm	17,8	16,4	28,0	9,4
02-1238-2814	14 mm	20,8	17,0	28,0	15,0
02-1238-2815	15 mm	21,8	19,9	28,0	14,6
02-1238-2816	16 mm	21,8	20,0	28,0	15,1
02-1238-2817	17 mm	23,8	20,0	30,0	17,0
02-1238-2818	18 mm	24,6	21,0	30,0	16,6
02-1238-2819	19 mm	25,7	23,0	30,0	16,6
02-1238-2820	20 mm	27,7	24,0	30,0	16,0
02-1238-2821	21 mm	27,8	24,9	30,0	16,0



Standard socket

1/2" drive 12 point

Chrome-vanadium steel

02-1212

Yokito art. no.	Size	D1	D2	L	H
02-1212-3728	28 mm	37,0	32,0	42,0	20,3
02-1212-3729	29 mm	37,3	32,0	42,0	20,3
02-1212-3730	30 mm	39,7	34,0	42,0	20,7
02-1212-3732	32 mm	41,7	30,7	42,0	20,4

Yokito art. no.	Size	D1	D2	L	I
02-1212-3708	8 mm	13,0	21,6	37,0	12,0
02-1212-3709	9 mm	13,5	21,6	37,0	12,0
02-1212-3710	10 mm	14,5	21,6	37,0	13,9
02-1212-3711	11 mm	16,6	21,6	37,0	13,3
02-1212-3712	12 mm	17,7	21,6	37,0	12,8
02-1212-3713	13 mm	19,9	21,7	37,0	13,6
02-1212-3714	14 mm	20,0	21,7	37,0	14,6
02-1212-3715	15 mm	21,7	20,9	37,0	14,8
02-1212-3716	16 mm	21,8	20,9	37,0	13,7
02-1212-3717	17 mm	23,8	22,0	37,0	15,0
02-1212-3718	18 mm	25,7	24,8	37,0	13,2
02-1212-3719	19 mm	25,8	24,9	37,0	14,7
02-1212-3720	20 mm	27,7	26,0	37,0	14,9
02-1212-3721	21 mm	27,7	26,0	37,0	16,0
02-1212-3722	22 mm	29,7	26,0	37,0	15,0
02-1212-3723	23 mm	31,7	27,8	37,0	14,7
02-1212-3724	24 mm	31,7	27,8	37,0	15,3
02-1212-3725	25 mm	35,1	28,0	42,0	19,0
02-1212-3726	26 mm	35,8	30,8	42,0	19,0
02-1212-3727	27 mm	35,8	30,8	42,0	20,3

Standard socket
3/4" drive 12 point
Chrome-vanadium steel

02-1234

Yokito art. no.	Size	D1	D2	L	I
02-1234-5017	17 mm	26,0	33,0	50,0	15,0
02-1234-5019	19 mm	29,0	33,0	50,0	15,0
02-1234-5020	20 mm	30,0	33,0	50,0	16,0
02-1234-5021	21 mm	31,0	33,0	50,0	17,0
02-1234-5022	22 mm	32,0	36,0	50,0	16,0
02-1234-5023	23 mm	32,0	36,0	50,0	15,0
02-1234-5124	24 mm	34,0	36,0	51,0	16,0
02-1234-5125	25 mm	35,0	36,0	51,0	17,0
02-1234-5126	26 mm	36,0	36,0	51,0	19,0
02-1234-5227	27 mm	37,0	36,0	52,0	23,0
02-1234-5228	28 mm	38,0	36,0	52,0	24,0
02-1234-5229	29 mm	40,0	38,0	52,0	25,0
02-1234-5430	30 mm	42,0	38,0	54,0	26,0
02-1234-5531	31 mm	43,0	38,0	55,0	26,0
02-1234-5532	32 mm	44,0	38,0	55,0	26,0
02-1234-5633	33 mm	46,0	40,0	56,0	26,0
02-1234-5734	34 mm	47,0	42,0	57,0	26,0
02-1234-5735	35 mm	48,0	42,0	57,0	27,0
02-1234-5836	36 mm	50,0	42,0	58,0	27,0
02-1234-6037	37 mm	51,0	45,0	60,0	27,0
02-1234-6038	38 mm	52,0	45,0	60,0	27,0
02-1234-6139	39 mm	53,0	45,0	61,0	27,0
02-1234-6240	40 mm	54,0	45,0	62,0	28,0



Yokito art. no.	Size	D1	D2	L	I
02-1234-6441	41 mm	56,0	45,0	64,0	30,0
02-1234-6442	42 mm	57,0	45,0	64,0	30,0
02-1234-6543	43 mm	58,0	45,0	65,0	30,0
02-1234-6644	44 mm	60,0	46,0	66,0	31,0
02-1234-6645	45 mm	61,0	46,0	66,0	31,0
02-1234-6746	46 mm	62,0	47,0	67,0	31,0
02-1234-6847	47 mm	63,0	47,0	68,0	33,0
02-1234-6948	48 mm	64,0	47,0	69,0	34,0
02-1234-7049	49 mm	66,0	48,0	70,0	34,0
02-1234-7250	50 mm	68,0	48,0	72,0	35,0



DEEP SOCKET SETS




Deep socket set 11 pieces

1/4" drive 6 point

Length: 50 mm

Chrome-vanadium steel

03-0614-0011

Yokito art. no	Picture	Contents
03-0614-50		4 5 5.5 6 7 8 9 10 11 12 13




Deep socket set 12 pieces

3/8" drive 6 point

Length: 63 mm

Chrome-vanadium steel

03-0638-0012

Yokito art. no	Picture	Contents
03-0638-63		8 9 10 11 12 13 14 15 16 17 18 19




Deep socket set 12 pieces

1/2" drive 6 pt

Length: 77 mm

Chrome-vanadium steel

03-0612-0012

Yokito art. no	Picture	Contents
03-0612-77		10 12 13 14 15 16 17 18 19 20 21 22


DEEP SOCKETS

Deep socket
1/4" drive 6 point

Chrome-vanadium steel

03-0614

Yokito art. no.	Size	D1	D2	L	i
03-0614-5004	4 mm	6,8	11,8	50,0	8,0
03-0614-5045	4,5 mm	7,4	11,8	50,0	10,0
03-0614-5005	5 mm	8,0	11,8	50,0	10,0
03-0614-5055	5,5 mm	8,7	11,8	50,0	11,5
03-0614-5006	6 mm	9,2	11,8	50,0	11,8
03-0614-5007	7 mm	10,3	11,8	50,0	17,7
03-0614-5008	8 mm	11,4	11,1	50,0	18,3
03-0614-5009	9 mm	12,8	12,0	50,0	18,3
03-0614-5010	10 mm	14,3	12,6	50,0	22,0
03-0614-5011	11 mm	15,8	14,0	50,0	22,0
03-0614-5012	12 mm	16,8	15,0	50,0	23,2
03-0614-5013	13 mm	17,8	16,0	50,0	21,6
03-0614-5014	14 mm	19,6	17,0	50,0	21,6





Deep socket
3/8" drive 6 point

Chrome-vanadium steel

03-0638

Yokito art. no.	Size	D1	D2	L	I
03-0638-6306	6 mm	9,7	16,7	63,0	12,0
03-0638-6307	7 mm	10,7	16,7	63,0	12,0
03-0638-6308	8 mm	12,0	16,7	63,0	13,5
03-0638-6309	9 mm	13,2	16,7	63,0	14,3
03-0638-6310	10 mm	15,0	16,7	63,0	19,8
03-0638-6311	11 mm	16,0	16,7	63,0	27,4
03-0638-6312	12 mm	17,8	16,7	63,0	29,9
03-0638-6313	13 mm	18,7	17,4	63,0	29,4
03-0638-6314	14 mm	19,8	18,1	63,0	29,9
03-0638-6315	15 mm	21,8	20,0	63,0	29,9
03-0638-6316	16 mm	21,8	20,0	63,0	29,9
03-0638-6317	17 mm	23,8	22,0	63,0	29,4
03-0638-6318	18 mm	24,8	22,0	63,0	29,4
03-0638-6319	19 mm	25,7	22,0	63,0	29,9
03-0638-6320	20 mm	27,7	24,0	63,0	30,2
03-0638-6321	21 mm	27,8	25,0	63,0	30,2
03-0638-6322	22 mm	29,7	26,0	63,0	30,2
03-0638-6323	23 mm	29,7	26,0	63,0	30,2
03-0638-6324	24 mm	31,7	26,0	63,0	30,5






Deep socket

1/2" drive 6 point

Chrome-vanadium steel

03-0612

Yokito art. no.	Size	D1	D2	L	I
03-0612-7708	8 mm	13,0	21,6	77,0	19,0
03-0612-7709	9 mm	13,5	21,6	77,0	19,0
03-0612-7710	10 mm	15,5	21,6	77,0	19,2
03-0612-7711	11 mm	16,6	21,6	77,0	20,0
03-0612-7712	12 mm	17,7	21,6	77,0	21,3
03-0612-7713	13 mm	19,0	21,7	77,0	17,8
03-0612-7714	14 mm	20,0	21,7	77,0	32,0
03-0612-7715	15 mm	21,8	21,0	77,0	31,2
03-0612-7716	16 mm	21,8	21,0	77,0	31,2
03-0612-7717	17 mm	23,8	22,0	77,0	31,2
03-0612-7718	18 mm	25,8	23,8	77,0	30,7
03-0612-7719	19 mm	25,7	24,0	77,0	32,0
03-0612-7720	20 mm	27,7	26,0	77,0	32,0
03-0612-7721	21 mm	27,7	26,0	77,0	31,2
03-0612-7722	22 mm	29,7	26,0	77,0	36,8
03-0612-7723	23 mm	31,7	27,8	77,0	36,8
03-0612-7724	24 mm	31,7	27,8	77,0	36,8
03-0612-7725	25 mm	35,1	28,0	77,0	37,2
03-0612-7726	26 mm	35,8	30,8	77,0	37,2
03-0612-7727	27 mm	35,8	30,8	77,0	37,2
03-0612-7728	28 mm	37,0	32,0	77,0	37,2
03-0612-7729	29 mm	37,3	32,0	77,0	37,2
03-0612-7730	30 mm	39,7	34,0	77,0	37,2
03-0612-7732	32 mm	41,7	30,7	77,0	37,2



Deep socket

1/4" drive 12 point

Chrome-vanadium steel

03-1214


Yokito art. no.	Size	D1	D2	L	I
03-1214-5004	4 mm	6,8	11,8	50,0	8,0
03-1214-5045	4,5 mm	7,4	11,8	50,0	10,0
03-1214-5005	5 mm	8,0	11,8	50,0	10,0
03-1214-5055	5,5 mm	8,7	11,8	50,0	11,5
03-1214-5006	6 mm	9,2	11,8	50,0	11,8
03-1214-5007	7 mm	10,3	11,8	50,0	17,7
03-1214-5008	8 mm	11,4	11,1	50,0	18,3
03-1214-5009	9 mm	12,8	12,0	50,0	18,3
03-1214-5010	10 mm	14,3	12,6	50,0	22,0
03-1214-5011	11 mm	15,8	14,0	50,0	22,0
03-1214-5012	12 mm	16,8	15,0	50,0	23,2
03-1214-5013	13 mm	17,8	16,0	50,0	21,6
03-1214-5014	14 mm	19,6	17,0	50,0	21,6

Deep socket
3/8" drive 12 point

Chrome-vanadium steel

03-1238

Yokito art. no.	Size	D1	D2	L	I
03-1238-6306	6 mm	9,7	16,7	63,0	12,0
03-1238-6307	7 mm	10,7	16,7	63,0	12,0
03-1238-6308	8 mm	12,0	16,7	63,0	13,5
03-1238-6309	9 mm	13,2	16,7	63,0	14,3
03-1238-6310	10 mm	15,0	16,7	63,0	19,8
03-1238-6311	11 mm	16,0	16,7	63,0	27,4
03-1238-6312	12 mm	17,8	16,7	63,0	29,9
03-1238-6313	13 mm	18,7	17,4	63,0	29,4
03-1238-6314	14 mm	19,8	18,1	63,0	29,9
03-1238-6315	15 mm	21,8	20,0	63,0	29,9
03-1238-6316	16 mm	21,8	20,0	63,0	29,9
03-1238-6317	17 mm	23,8	22,0	63,0	29,4
03-1238-6318	18 mm	24,8	22,0	63,0	29,4
03-1238-6319	19 mm	25,7	22,0	63,0	29,9
03-1238-6320	20 mm	27,7	24,0	63,0	30,2




Yokito art. no.	Size	D1	D2	L	H
03-1238-6321	21 mm	27,8	25,0	63,0	30,2
03-1238-6322	22 mm	29,7	26,0	63,0	30,2
03-1238-6323	23 mm	29,7	26,0	63,0	30,2
03-1238-6324	24 mm	31,7	26,0	63,0	30,5

Deep socket
1/2" drive 12 point

Chrome-vanadium steel

03-1212

Yokito art. no.	Size	D1	D2	L	I
03-1212-7708	8 mm	13,0	21,6	77,0	19,0
03-1212-7709	9 mm	13,5	21,6	77,0	19,0
03-1212-7710	10 mm	15,5	21,6	77,0	19,2
03-1212-7711	11 mm	16,6	21,6	77,0	20,0
03-1212-7712	12 mm	17,7	21,6	77,0	21,3
03-1212-7713	13 mm	19,0	21,7	77,0	17,8
03-1212-7714	14 mm	20,0	21,7	77,0	32,0
03-1212-7715	15 mm	21,8	21,0	77,0	31,2
03-1212-7716	16 mm	21,8	21,0	77,0	31,2
03-1212-7717	17 mm	23,8	22,0	77,0	31,2
03-1212-7718	18 mm	25,8	23,8	77,0	30,7
03-1212-7719	19 mm	25,7	24,0	77,0	32,0
03-1212-7720	20 mm	27,7	26,0	77,0	32,0
03-1212-7721	21 mm	27,7	26,0	77,0	31,2
03-1212-7722	22 mm	29,7	26,0	77,0	36,8
03-1212-7723	23 mm	31,7	27,8	77,0	36,8
03-1212-7724	24 mm	31,7	27,8	77,0	36,8
03-1212-7725	25 mm	35,1	28,0	77,0	37,2



Yokito art. no.	Size	D1	D2	L	H
03-1212-7726	26 mm	35,8	30,8	77,0	37,2
03-1212-7727	27 mm	35,8	30,8	77,0	37,2
03-1212-7728	28 mm	37,0	32,0	77,0	37,2
03-1212-7729	29 mm	37,3	32,0	77,0	37,2
03-1212-7730	30 mm	39,7	34,0	77,0	37,2
03-1212-7732	32 mm	41,7	30,7	77,0	37,2

TORX SOCKET SETS



Torx socket set 6 pieces
3/8" drive
 Chrome-vanadium steel

05-0038-0006

Yokito art. no	Picture	Contents
05-0038		E8 E10 E12 E14 E16 E18



Torx socket set 7 pieces
1/2" drive
 Chrome-vanadium steel

05-0012-0007

Yokito art. no	Picture	Contents
05-0012		E10 E12 E14 E16 E18 E20 E24



Torx socket set 9 pieces
1/2" drive
 Chrome-vanadium steel

05-0012-0009

Yokito art. no	Picture	Contents
05-0012		E10 E11 E12 E14 E16 E18 E20 E22 E24

TORX SOCKETS

Torx socket
1/4" drive

Chrome-vanadium steel

05-0014

Yokito art. no.	Size	D1	D2	L	I
05-0014-2504	E4	6,1	11,7	25,0	4,0
05-0014-2505	E5	7,2	11,7	25,0	4,2
05-0014-2506	E6	8,0	11,7	25,0	6,1
05-0014-2507	E7	8,5	11,7	25,0	7,0
05-0014-2508	E8	10,0	11,7	25,0	8,0




Torx socket
3/8" drive

Chrome-vanadium steel

05-0038

Yokito art. no.	Size	D1	D2	L	I
05-0038-2806	E6	9,2	16,7	28,0	8,5
05-0038-2806	E7	9,9	16,7	28,0	9,5
05-0038-2806	E8	11,0	16,7	28,0	10,0
05-0038-2806	E10	13,0	16,7	28,0	10,6
05-0038-2806	E11	13,3	16,7	28,0	10,6
05-0038-2806	E12	14,8	16,7	28,0	10,6
05-0038-2806	E14	17,7	15,8	28,0	9,5
05-0038-2806	E16	19,7	17,0	28,0	9,7
05-0038-2806	E18	21,8	19,9	28,0	9,2
05-0038-2806	E20	25,0	22,0	28,0	10,2




Torx socket
1/2" drive


Chrome-vanadium steel

05-0012

Yokito art. no.	Size	D1	D2	L	I
05-0012-3808	E8	14,0	21,6	38,0	14,7
05-0012-3810	E10	15,0	21,6	38,0	14,7
05-0012-3811	E11	15,5	21,6	38,0	13,7
05-0012-3812	E12	16,0	21,6	38,0	13,7
05-0012-3814	E14	17,8	21,6	38,0	13,7
05-0012-3816	E16	20,0	21,6	38,0	13,7
05-0012-3818	E18	20,0	21,6	38,0	13,7
05-0012-3820	E20	23,7	22,0	38,0	13,7
05-0012-3822	E22	25,7	23,8	38,0	13,2
05-0012-3824	E24	27,7	25,0	38,0	12,8



SPARK PLUG SOCKETS




Spark plug socket 3/8" drive 6 point

Chrome-vanadium steel

06-0638

Yokito art. no.	Size	D1	D2	I
06-0638-6516	16 mm	22,0	22,0	65
06-0638-6521	21 mm	22,6	24,0	65



Spark plug socket 1/2" drive 6 point

Chrome-vanadium steel

06-0612

Yokito art. no.	Size	D1	D2	I
06-0612-6516	16 mm	22,0	22,0	65
06-0612-6521	21 mm	22,6	24,0	65